

L Number	Hits	Search Text	DB	Time stamp
1	588	(voltage\$1 with generat\$3) same (drain with voltage\$1) same enabl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 15:05
2	196	(voltage\$1 with generat\$3) same (drain with voltage\$1) same (enabl\$3 near signal\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 15:07
3	50	(second\$2 with voltage\$1 with generat\$3) same (drain with voltage\$1) same (enabl\$3 near signal\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 15:10
4	35	(voltage\$1 with generat\$3) same (drain with voltage\$1) same (feedback or (feed near back))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 15:06
5	3	(voltage\$1 with generat\$3) same (drain with voltage\$1) same (enabl\$3 near signal\$4) same (feedback or (feed near back))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 15:07
6	81	(voltage\$1 with generat\$3) same (drain with voltage\$1) same (array\$1 with switch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 15:08
7	16	(voltage\$1 with generat\$3) same (drain with voltage\$1) same (array\$1 with switch\$3) same (select\$3 near signal\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 15:09
8	32	(second\$2 with voltage\$1 with generat\$3) same (drain with voltage\$1) same (array\$1 with select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 15:10
9	1068	365/189.11.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 15:10
10	15	((voltage\$1 with generat\$3) same (drain with voltage\$1) same enabl\$3) and 365/189.11.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 15:10
11	5	((voltage\$1 with generat\$3) same (drain with voltage\$1) same (enabl\$3 near signal\$4)) and 365/189.11.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 15:11
12	3	((second\$2 with voltage\$1 with generat\$3) same (drain with voltage\$1) same (enabl\$3 near signal\$4)) and 365/189.11.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 15:11

13	1	((voltage\$1 with generat\$3) same (drain with voltage\$1) same (feedback or (feed near back))) and 365/189.11.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 15:11
14	6	((voltage\$1 with generat\$3) same (drain with voltage\$1) same (array\$1 with switch\$3)) and 365/189.11.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 15:11
16	2	((second\$2 with voltage\$1 with generat\$3) same (drain with voltage\$1) same (array\$1 with select\$3)) and 365/189.11.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/02 15:11